

Lola T Prestige

Sunlounger

Technical file















Description

Frame

Made of polypropylene resin.

Reinforced with mineral filler and a special formulation with UV treatment.

Ribbed design that guarantees structural robustness against deformation and breakage.

Security

Folding support designed to prevent hands and fingers from being caught.

Support regulator designed to avoid sudden movements during height regulation.









Lola T Prestige

Sunlounger

Capacity

B A	
A - 75 cm	C - 198 cm

4 - /5 cm	C - 198 cm
3 - 95 cm	D - 37 cm

14,6 kg

Package	Units	Measures	Weight	Volume
Box	2 u.	201x78,5x63 cm	35,8 kg	1,00 m³
Pallet	14 u.	200x74x178 cm	312 kg	2,78 m³

Loading capacity	Mega trailer	Cont. 20'	Cont. 40'	Cont. 40' High Cube
Lola T Prestige	520 u.	160 u	330 и	400 u.

Finishes

Frame

Matte texture

Prestige Wood







Slats

Basic













Lola T Prestige

Sunlounger

Maintenance plan	

Weekly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

Monthly

Check the structural strength and stability.

Check the condition of wheels.

Annual

Check the backrest and adjuster are working correctly.

Replace any worn or damaged parts.

Wintering and storage

Clean with soapy water and a soft cloth.

Remove damp stains, sand and seawater.

Store horizontally in a dry place in stacks of 10 units.

Observations

- Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Consult the maintenance instructions.
- Do not use aggressive chemicals to clean the product.
- Always use products with a neutral pH.
- Use a soft cloth to clean the product.





