

## Capri

High table

Technical file



### Description

#### Base

Steel base with aluminum coverage subjected to an antioxidant and polish mat treatment.

#### Central foot

Aluminum structure subjected to an antioxidant and polish mat treatment.

#### Screws

Manufactured in AISI 304 stainless steel that offers great resistance to corrosion in marine environments.

#### Accessories

Caps, studs and regulators made of polypropylene resin resistant to UV rays.


#### Tabletop

HPL compact board formed by 10 mm thick resins.  
16 mm thick Werzalit board.

# Capri

## High table

### Capacity



A - 40 cm  
B - 110 cm

Model	Package	Units	Measures	Weight	Volume
60x60	Box (2 packages)	1 u.	62x61x10 cm 110x10x10 cm	25,4 kg	0,05 m <sup>3</sup>
70x70	Box (2 packages)	1 u.	72x71x10 cm 110x10x10 cm	26,6 kg	0,06 m <sup>3</sup>

### Finishes

#### Frame

Matte texture



White Aluminum Turtledove

#### Tabletop

HPL Basic



White Grey

HPL GD



Prado Moonwalk Skyline

Werzalit



Wite



## Capri

High table

---

### Maintenance plan

---

#### Weekly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

#### Monthly

Check that the aluminum structure has no damage or deep scratches.  
Check the structural strength and stability.  
Check the condition of the caps and studs.

#### Annual

Repair any damage to the paint.  
Replace any worn or damaged parts.

#### Wintering and storage

Clean with soapy water and a soft cloth.  
Remove damp stains, sand and seawater.  
Store vertically in a dry place.

#### Observations

- Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Do not use aggressive chemicals to clean the product.
- Always use products with a neutral pH.
- Use a soft cloth to clean the product.

