

Capri

High table

Technical file







Description

Base

Steel base with aluminum coverage subjected to an antioxidant and polish mat treatment.

Central foot

Aluminum structure subjected to an antioxidant and polish mat treatment.

Screws

Manufactured in AISI 304 stainless steel that offers great resistance to corrosion in marine environments.

Accessories

Caps, studs and regulators made of polypropylene resin resistant to UV rays.

Tabletop

HPL compact board formed by 10 mm thick resins.

16 mm thick Werzalit board.









Capri

High table

Capacity



Α	-	40 cm	
В	_	110 cm	

Model	Package	Units	Measures	Weight	Volume
60x60	Box (2 packages)	1 u.	62x61x10 cm	25,4 kg	0,05 m ³
			110x10x10 cm		
70x70	Box (2 packages)	1 u.	72x71x10 cm	26,6 kg	0,06 m ³
			110x10x10 cm		

Finishes

Frame

Matte texture







Tabletop

HPL Basic





HPL GD







Werzalit











Capri

High table

М	ain	tena	nce p	lan –	

Weekly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

Monthly

Check that the aluminum structure has no damage or deep scratches.

Check the structural strength and stability.

Check the condition of the caps and studs.

Annual

Repair any damage to the paint.

Replace any worn or damaged parts.

Wintering and storage

Clean with soapy water and a soft cloth.

Remove damp stains, sand and seawater.

Store vertically in a dry place.

Observations

- Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Do not use aggressive chemicals to clean the product.
- Always use products with a neutral pH.
- Use a soft cloth to clean the product.





