

# Mila

Chair with arms

Technical file









Description

### Frame

Manufactured with a 6063 aluminum alloy profile of 30 mm diameter and 2 mm thickness.

### **Paint**

Powder paint based on polyester resins that offers great resistance to light and outdoor environments in accordance with European regulations EC 850/2004, EU 519/2012 and EU 2015/2030.

### **Fabric**

Breathable fabric constructed with double weft and double warp 1 mm thick.

Formed by a core of continuous PVC-coated polyester thread.

High resistance to fading due to UV rays.

# Accessories

Caps and studs made of PVC.

### Security

Product certified according to European safety regulations EN-581-1:2017 and EN-581-2:2017.











# Mila

# Chair with arms

# Capacity

Package	Units	Measures	Weight	Volume
Вох	4 u.	59x73x99 cm	15 kg	0,46 m <sup>3</sup>
Pallet	44 u.	117x99,5x225 cm	166 kg	2,96 m³

Loading capacity	Mega trailer	Cont. 20'	Cont. 40'	Cont. 40' High Cube
Mila	- u.	340 u.	680 u.	880 u.

A - 58 cm B - 83 cm

C - 59 cm D - 46 cm

3,7 kg

# **Finishes**

# Frame

Matte texture





Fabric

Basic















# Mila

Chair with arms

			100			1	lan	
V		n	TO	าar	-	n	an	
	u		COL	IUI		$\sim$	MI I	

# Weekly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

# **Monthly**

Check fabric tension.

Check that the aluminum structure has no damage or deep scratches.

Check the structural strength and stability.

Check the condition of the caps and studs.

### **Annual**

Check the condition of the fabric and ensure it is correctly tensed.

Repair any damage to the paint.

Replace any worn or damaged parts.

### Wintering and storage

Clean with soapy water and a soft cloth.

Remove damp stains, sand and seawater.

Store horizontally in a dry place in stacks of 4 units.

# **Observations**

- · Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Consult the maintenance instructions.
- Do not use aggressive chemicals to clean the product.
- · Always use products with a neutral pH.
- Use a soft cloth to clean the product.







