

Frame

Made of polypropylene resin. Reinforced with mineral filler and a special formulation with UV treatment.

Security

Product certified under European safety and resistance standards EN-581-1:2006 and EN-581-2:2009.






Selva Prestige

Chair

Capacity



| Package | age Units Measures | | res | Weight | Volume |
|------------------|--------------------|-----------|---------|-----------|---------------------|
| Pallet | 25 u. | 60x55x23 | 30 cm | 82 kg | 0,76 m ³ |
| Loading capacity | Mega trailer | Cont. 20' | Cont. 4 | •0′ Cont. | 40' High Cube |
| Selva Prestige | 2.200 u. | 900 u. | 2.000 | u. | 2.000 u. |

Finishes

Frame Resin Prestige







Selva Prestige

Chair

Maintenance plan

Monthly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

Wintering and storage

Clean with soapy water and a soft cloth. Remove damp stains, sand and seawater. Store horizontally in a dry place in stacks of 10 units.

Observations

- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Consult the maintenance instructions.
- Do not use aggressive chemicals to clean the product.
- Always use products with a neutral pH.
- Use a soft cloth to clean the product.



