

# Atlanta

Table

Technical file



SPARE PARTS



RECYCLABLE



ASSEMBLY

## Description

### Frame

Manufactured with a 6063-20 aluminum alloy profile of variable thickness between 2 and 10 mm. Extensible structure<sup>1</sup>.

### Screws

Manufactured in AISI 304 stainless steel that offers great resistance to corrosion in marine environments.

### Paint

Powder paint based on polyester resins that offers great resistance to light and outdoor environments in accordance with QUALICOAT international specifications and ISO-2409 and ISO-2360 regulations.

### Accessories

Caps and studs made of PVC.

### Tabletop

Board formed by aluminum sheets.

### Security


Product certified according to European safety regulations EN-581-1:2017 and EN-581-2:2017.



# Atlanta

## Table

### Capacity



A - 90 cm      E - 100 cm  
 B - 74 cm      F - 74 cm  
 C - 140 cm\*    G - 200 cm\*\*  
 D - 74 cm      H - 74 cm

\* Extendable to 180 cm.  
 \*\* Extendable to 260 cm.

Model	Package	Units	Measures	Weight	Volume
Atlanta S	Box (2 packages)	1 u.	131x95x13 cm 102x86x10 cm	36 kg	0,25 m <sup>3</sup>
Atlanta L	Box (2 packages)	1 u.	191x105x13 cm 112x86x10 cm	54 kg	0,35 m <sup>3</sup>
Atlanta S	Pallet	10 u.	- cm	380 kg	2,5 m <sup>3</sup>
Atlanta L	Pallet	10 u.	- cm	580 kg	3,5 m <sup>3</sup>

### Finishes

#### Frame

##### Matte texture





# Atlanta

## Table

### Maintenance plan

#### Weekly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

#### Monthly

Check that the aluminum structure has no damage or deep scratches.

Check the structural strength and stability.

Check the condition of the caps and studs.

#### Annual

Repair any damage to the paint.

Replace any worn or damaged parts.

#### Wintering and storage

Clean with soapy water and a soft cloth.

Remove damp stains, sand and seawater.

Store horizontally in a dry place.

#### Observations

- Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Do not use aggressive chemicals to clean the product.
- Always use products with a neutral pH.
- Use a soft cloth to clean the product.

