

Altea

Table

Technical file











Description

Frame

Manufactured with a 2 mm thick 6063 aluminum alloy profile.

Screws

Manufactured in AISI 304 stainless steel that offers great resistance to corrosion in marine environments.

Paint

Powder paint based on polyester resins that offers great resistance to light and outdoor environments in accordance with European regulations EC 850/2004, EU 519/2012 and EU 2015/2030.

Accessories

Caps and studs made of PVC.

Tabletop

HPL compact board formed by 10 mm thick resins.

Security

Product certified according to European safety regulations EN-581-1:2017 and EN-581-2:2017.









Altea

Table

Capacity



Λ	_	7/,	cm

Model	Package	Units	Measures	Weight	Volume
70x70	Box	1 u.	72x71x12 cm	- kg	0,06 m³
80x80	Box	1 u.	82x81x12 cm	- kg	$0,07 \text{ m}^3$
120x80	Box	1 u.	122x81x12 cm	- kg	0,11 m ³

Finishes

Frame

Matte texture







Tabletop

HPL Basic





HPL GD













Altea

Table

Maintenance	nlan	
Maintenance	piari	

Weekly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

Monthly

Check that the aluminum structure has no damage or deep scratches.

Check the structural strength and stability.

Check the condition of the caps and studs.

Annual

Repair any damage to the paint.

Replace any worn or damaged parts.

Wintering and storage

Clean with soapy water and a soft cloth.

Remove damp stains, sand and seawater.

Store vertically in a dry place in stacks of 10 units.

Observations

- Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Do not use aggressive chemicals to clean the product.
- · Always use products with a neutral pH.
- Use a soft cloth to clean the product.





