



# Olimpia

Sofa

## Technical file



FABRIC



SPARE PARTS



CUSTOMIZABLE



RECYCLABLE

## Description

### Frame

Manufactured with a 2 mm thick 6063-20 aluminum alloy profile.

### Screws

Manufactured in AISI 304 stainless steel that offers great resistance to corrosion in marine environments.

### Paint

Powder paint based on polyester resins that offers great resistance to light and outdoor environments in accordance with QUALICOAT international specifications and ISO-2409 and ISO-2360 regulations.

### Accessories

Caps, studs and regulators made of polypropylene resin resistant to UV rays.

### Pillows

Made with Balliu fabric and Dry Feel interior foam designed especially for outdoor use.

### Fabric

Breathable fabric constructed with double weft and double warp, 1.25 mm thick and 870 g/m<sup>2</sup> density. Made of a continuous polyester thread core (30%) coated with PVC (70%).

Resistant to UV rays, with a light resistance index of 8.

Antimicrobial protection that protects against bad odors and moisture.



Fire resistance due to flammability retardant according to EN-1021-2:2015 regulations.



# Olimpia

## Sofa

### Capacity



|           |            |            |
|-----------|------------|------------|
| A - 68 cm | E - 126 cm | I - 184 cm |
| B - 73 cm | F - 73 cm  | J - 73 cm  |
| C - 62 cm | G - 62 cm  | K - 62 cm  |
| D - 44 cm | H - 44 cm  | L - 44 cm  |

| Model    | Package | Units | Measures     | Weight  | Volume              |
|----------|---------|-------|--------------|---------|---------------------|
| 1 seater | Box     | 1 u.  | 69x64x74 cm  | 9,5 kg  | 0,33 m <sup>3</sup> |
| 2 seater | Box     | 1 u.  | 128x64x74 cm | 20,7 kg | 0,60 m <sup>3</sup> |
| 3 seater | Box     | 1 u.  | 186x64x74 cm | 28,8 kg | 0,88 m <sup>3</sup> |

### Finishes


#### Frame

##### Matte texture



#### Fabric

##### Basic





# Olimpia

Sofa

## Maintenance plan

### Weekly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

### Monthly

Check that the aluminum structure has no damage or deep scratches.

Check the structural strength and stability.

Check the condition of the caps and studs.

### Annual

Repair any damage to the paint.

Replace any worn or damaged parts.

### Wintering and storage

Clean with soapy water and a soft cloth.

Remove damp stains, sand and seawater.

Store horizontally in a dry place.

### Observations

- Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Do not use aggressive chemicals to clean the product.
- Always use products with a neutral pH.
- Use a soft cloth to clean the product.

